TOURING FLHTP

Evil King

:1 King



World's Finest Products For Harley-Davidsons

WWW.CUSTOM-CHROME-EUROPE.COM







Fusion Series Adjustable Floorboards by Arlen Ness

- The perfect fusion of billet and rubber to provide the best in comfort and style
- Each Fusion Series floorboard is machined from 6061-T6 billet aluminum and features knurled or linear rubber inserts for excellent foot traction.
- Matching passenger floorboards are available for each style (Available separately)
- Designed to match the Arlen Ness Fusion Grip and Foot & Shift Pegs (Available separately)
- Driver floorboards measure: 13.8" L x 5.0" W; Passenger floorboards measure: 10.0" L x 4.0" W
- Each driver floorboard has 3 different mounting locations giving 3" of adjustability. Allowing you to adjust the floorboard forward and back to obtain your preferred riding position.
- Driver floorboards fit: 84-14 FLT/FLHT/FLTR/H-D FL Trike and 86-14 FLST
- Passenger floorboards fit: 93-14 FLT/FLHT/FLHR/ FLTR/H-D FL Trike
- 654112 Fusion driver floorboards chrome
- 654113 Fusion driver floorboards black
- 654114 Fusion passenger floorboards chrome
- 654115 Fusion passenger floorboards black

654115

654113

654112

654114

CATALOG'EDITION 44"PAGE 3.50

Küryakyn Adjustable Passenger Peg Mounts for Touring Models

You remember that story from when you were three years old, The Princess & the Pea? That story had a valuable lesson, similar to what youll learn from our new Passenger Peg Mounts. They are direct replacements for the stock passenger floorboards, accept any H-D style male mount peg, & adjust to any of the three stock positions-plus they rotate 360° around and a 1 5/8" diameter. So any princess can find comfort. Which, if you were paying attention, was pretty worthwhile at the end of the day.

605166 Adjustable Peg Mounts for 93-09 Electra Glides, Road Glides, Street Glides, Tour Glides, & Road Kings

CATALOG'EDITION44"PAGE3.45





PM Apex Footpegs

ast Cut, 90°
ne, 90°
ast Cut, 45°
ne, 45°

CATALOG'EDITION44"PAGE327



Arlen Ness Adjustable Handlebars

Design, function, and adjustability. The Arlen Ness modular series brings the concept of handlebars to a whole new level. These adjustable bars feature billet aluminum junction clamps that rotate towards or away from the rider to achieve their desired comfort needs. These bars also give endless custom finish options, and not to mention cutting internal wiring install time almost in half.

Features:

- All bars are drilled and slotted for internal wiring for cable or Fly By Wire applications.
- Drag bars bolt directly to 3-1/2" bolt centers for most HD models (except Bagger models)
- Bagger Apes and Mini Apes include 3 1/2" on center knurling to fit most HD applications
- Available in chrome and black for most HD models

618010	H-Bar FLHX, black
618014	H-Bar FLHX, chrome
618011	H-Bar 10" APE, black
618015	H-Bar 10" APE, chrome
618012	H-Bar 8" DRAG, black
618016	H-Bar 8" DRAG, chrome
618013	H-Bar 12" DRAG, black
618017	H-Bar 12" DRAG, chrom

CATALOG'EDITION 44"PAGE 4.16

THUNDERBIKE CUSTOMS

Thunderbike Base Grip Set

Not for models with drive by wire. Sold in pairs.

With throttle cable sleeeve

- 683785 Base Grip Set Black Anodized
- 653652 TB Base Grip Set Rubber polished
- 653653 TB Base Grip Set Rubber black
- 653654 TB Base Grip Set Brass polished
- 653655 TB Base Grip Set Brass black
- 653656 TB Base Grip Set Alu black

CATALOG'EDITION44"PAGE 4.93



683785





ERINGER

Brake master cylinder units 14 mm bore (dual disc 4&6 piston models)

 653668
 Black, lever 2

 653669
 Polished, lever 2

 653670
 Black, lever 4

653671 Polished, lever 4

Clutch cable perch assembly

- 653676
 Black, Lever 4

 653677
 Polished, Lever 4
- 653678 Black, Lever 2
- 653679 Polished, Lever 2

Replacement cable clutch perch levers

653684Lever 4 mech. clutch, black653685lever 2 mech. clutch, black653764Lever 4 mech. clutch, polished653765lever 2 mech. clutch, polished

Mechanical switch (Clutch or brake)

653686 Beringer switch for clutch+brake



Beringer Aerotec brake and hydraulic clutch Master Cylinders

These items are very compact and light (270g). Fully machined from billet aluminum using a three ball bearing system and covered by the AEROTEC world-wide patents, they bring exceptional feeling. Adjustable lever distance. Available in polished or black versions with Beringer logo on the master cylinder, lever and handlebar clamp you can choose between 2-finger-use short lever (lever 2) and full-hand long lever (lever 4). The clamps are standard without mirror brackets, clamps with mirror bracket are sold separately. Beringer recommends the use of DOT 4 brake fluid. 111206



Custom Throttle Clamps

These custom throttle clamps from Custom Chrome hold the throttle sleeve in place on the handlebars and feature smooth styling and a deep chrome finish. Includes upper and lower clamps with hardware.

651826

- 111206 Fits single cable 5/16" (81-95)
- 651826 Black, single cable
- 111207 Fits dual cable
- 651825 Black, dual cable

CATALOG'EDITION 44"PAGE 4.100



Ness-Tech Flush Mount Polyurethane Handlebar Dampener Kits

- Clean flush mount design
- Beautifully polished 303 stainless steel custom washers
- Soft durameter urethane bushing absorbs vibration
- Available with fine or coarse sockethead hardware
- 648303 Kit for coarse thread applications
- 648304 Kit for fine thread applications

CATALOG'EDITION 44"PAGE 4.46



Highsider Bar End Mirrors with E-mark

Measurements head: 122 mm x wide 85 mm x depth 24 mm, Stem: 70 mm from head to bent and 115 mm from bent to end of the clamp. The clamp on section is 12 mm wide and fits 7/8" and 1" handlebars.

619261 Black, each

619262 Chrome, each

CATALOG'EDITION44"PAGE 4.105



BDL High-Torque Starter

Features a full 1.4kw rating, which is up to 25% more torque than Original Equipment. Increased cranking speed and low amperage-draw design delivers fast, reliable starts with less battery drain.

42847 Fits BDL Shovelhead 3" open belt drive kits 70-78 and 89-99 Big Twins (except Twin Cam 88 models)

CATALOG"EDITION 44"PAGE 6.42

Solenoid Cover Starter Button Switches

Can be used as a "back up" system or as a custom starter button without the need for a starter switch on your handlebars. It bypasses the stock relay, permitting starter activation at the push of a hidden button. Fits stock bikes and customs using late style 1.2kw, and 1.4kw output type starters. **640910** Black wrinkle finish

CATALOG'EDITION44"PAGE 6.50

motogadget

m-Unit V.2

The m-Unit V.2 is a digital control unit for your motorbike - the 'heart' of the vehicle's electrical system.

- Control over handle bar push-buttons or conventional switch control units
- Completely replaces the fuse panel Up to 8 independent circuits are digitally monitored and de-energized in case of failures. After removal of the fault, the safety feature is automatically reset
- Diagnostics for all circuits use 15 status LEDs
- highest possible operational dependability with micro processor controlled and monitored switching operations
- flexible feature configuration due to simple device setup
- No mechanical relays newest generation semiconductors switch quickly, free of loss and wear.
- utterly compact dimensions
- The m-Unit V.2 provides for hassle-free wiring and requires minimal wiring harnessing.
- Control of high and low beam possible with only one push-button.

- Digital hazard light control stays on even after de-energizing the main system.
- integrated digital, load independent flasher relay (like m-Flash), timer-controlled automatic deactivation.
- selectable flasher mode with fade-in/fade-out effect like with the m-Wave! timer-controlled automatic deactivation.
- Navigation light feature selectable over all turn signals! Permanent low-light at each turn signal.
- integrated digital brake light modulator (like m-Stop), selectable flasher mode.
- integrated alarm system (gravity field sensor)
- intelligent deactivation of certain devices at engine startup
- only one cable required to control combined rear and brake lights
- completely water tight and vibration resistant

Dimensions and specifications:

L/W/H: 101 x 61 x 28 mm

Fixture: 2 x M5 screws, stainless steel (mounting and ground terminal), 1 x M5

Parts delivered:

m-Unit V.2, approx. 50 cm connector cable for battery plus terminal with 10 mm2 nominal cross-section, 2 cable eyelets, 1 x M5 stainless steel screw, 2 x M5 stainless steel screw with nut, detailed installation and operating instructions

682752 m-Unit V.2

690974 m-Button

CATALOG'EDITION44"PAGE 6.53

motogadget

- RFID technology is tamper-resistant
- each key has a unique code
- the key first activates the m-Lock without touching it and then, via the relay, the entire on-board system

m-Lock

The m-lock is

a contact free

digital ignition

lock with RFID

and substitutes

their electrical

switching fea-

ture respectively.

technology

mechanical ignition locks or

- neither key nor m-Lock suffer from mechanical wear
- the key requires no battery failsafe
- no overload or scorched pins possible due to indirect switching via the 40 A main relay
- the m-Lock is very compact an can be mounted hidden in many places
- water tight and vibration resistant because of the moulded-in construction
- depending on the model, key sizes range from very small (key fob sized) to tiny (glass vial) and may be integrated into other objects like gloves, clothing,

pendants (NON-METALLIC!) etc.

- keys can be easily purchased and 'learned' to any m-Lock - your integrated locksmith
- a switching distance of 4 5 cm ensures convenient switching while excluding the possibility of accidental engagement
- An integrated LED shows the status of the m-Lock while mounting, connecting and 'teaching' new keys

Dimensions and specifications

Transmitter/receiver, diameter of installed assembly: 30 mm, Height: 14 mm, Cable length: approx. 50 cm, Weight incl. cable: approx. 30 g, Fixture: 2 x M3 threaded hole on back side, Operating voltage: 6V - 18V, Operating temperature: -20 °C... +80 °C

Parts delivered

Transmitter/receiver, diameter of installed assembly: 30 mm, Height: 14 mm, Cable length: approx. 50 cm, Weight incl. cable: approx. 30 g, Fixture: 2 x M3 threaded hole on back side, Operating voltage: 6V - 18V, Operating temperature: -20 °C... +80 °C 682345 m-Lock complete kit

Spare parts

682346	m-Lock key teardrop
682347	m-Lock key glass tube
682348	m-Lock relay 12V 50A
682349	m-Lock backing capacitor345

CATALOG'EDITION 44"PAGE 6.79



Moroso Ultra 40 Plug Wire Sets

Moroso Ultra 40 plug wires set the standard in high performance ignition wires. With optimized EMI (electro magnetic) and RFI (radio frequency) resistance, Moroso wires are used In the highest levels of racing from dual mag Top Fuel Cars thru NASCAR Sprint Cup Series. At 40 ohms of resistance per foot the 8.65mm Ultra 40 features a highly engineered, spiral-wound conductor that maximizes energy transfer and minimizes noise interference.

CATALOG'EDITION 44"PAGE 628

668305	Fits all Softail models 00-14
668297	Fits all Softails 84-99, FXD 91-98 and FL 80-84
668301	Fits all FLT, FLHT, FLHR, FLTR models 97-98
668302	Fits all FLT, FLHT, FLHR, FLTR models 99-08
668298	Fits all FLT, FLHT, FLHR, FLTR models 85-96 and FLHS 82-93
668303	Fits all FXD models 99-Up
668299	Fits all FXR models 82-99
668307	Fits all XL models 07-14
668306	Fits all XL models 04-06
668300	Fits XL models (except 1200S) 86-03
668304	Fits all XL 1200S models
668308	Universal wire kit



AFGEL.

Accel Single Fire 3 Ohm 'Super Coil'

This 'Super Coil' is just as powerful as the original. Makes for a perfect replacement or upgrade and will bolt right on with no modifications to your bracket. Fits all Big Twin and Sportster models (except Twin Cam models or fuel injected models) with aftermarket single fire ignitions from 65-06. Comes in black, 'Accel Yellow' or chrome.

668002 668033	and the second second	CATALOG"EDITION44"PAGE61
668058	Chrome	

RICK'S

Touring Headlight Nacelle for Ricks 7° Triple Trees

Rick's fiber glas headlight nacelle made in Germany for Road King triple tree conversions. The nacelle is aligned to the 7° triple tree front fork conversion and does not light up the sky. All 4 mounting points feature laminated aluminum distance spacers which allow a perfect fit without hassle. Compare to the OEM unit this one has a 2" stretch to look cooler.

619433 Headlight nacelle 7° down

CATALOG'EDITION 44"PAGE 5.18



Speaker LED Headlights/Spotlights with E Approval

This high/low LED headlight and spotlights are a perfect choice for upgrading your OEM headlights to LED. It features a durable glass lens, cutting-edge optics, solid state electronics, die-cast aluminum housing, and built-in front position lighting. A convenient 12-24V multi-voltage configuration makes this street-legal LED high/low headlight an excellent choice with OEM connectors to the bikes harness wiring! 7" headlights on touring models require the use of an optional adapter ring (653183) for installation. Sold each.

Headlights

- 653177 LED 5 3/4" Insert EU, black insert
- 653178 LED 5 3/4" Insert UK, black insert
- 619521 LED 7" Insert EU, black incl. position light
- 619522 LED 7" Insert UK, black incl. position light
- 619523 LED 7" Insert EU, chrome incl. position light
- 619524 LED 7" Insert UK, chrome incl. position light

Spotlights for models 04-11

- 653181 LED 4 1/2" Spot, black insert
- 653182 LED 4 1/2" Spot, chrome insert7

I6

LED Taillight 'Mono', E-Approved

18 x H 8 mm, threaded bolt M10 x L 13 mm618399Clear lens, black anodized, ø 18 mm618400Clear lens, chrome plated, ø 18 mm

CATALOG'EDITION 44"PAGE 5.53

LED Turn Signals 'Mono', E-Approved 18 x H 8 mm, threaded bolt M10 x L 13 mm 618412 Clear lens, black anodized, dia. 18 mm

618412 Clear lens, black anotized, dia. 18 mm **618413** Clear lens, chrome plated, dia. 18 mm

CATALOG'EDITION 44"PAGE 5.74



654127





Inverted Series Air Cleaner Kits by Arlen Ness

- The ultimate combination of performance and design for your V-Twin engine
- Each handmade air filter is made in the USA and features an inverted pleated top with pleated sides to maximize airflow. Our pre-oiled black filter element is encapsulated in a stainless steel jacket for the ultimate in style and durability
- Forged air filter housings feature built in velocity stacks that scream performance and enhance looks
- Forged billet backing plate features our proven radius inlet, hidden breather hardware and our industry leading Big Sucker patented technoloav
- Available in chrome or black anodize finishes
- All mounting hardware and gaskets are included

Beveled Inverted Air Cleaner

- 654127 Beveled air cleaner for 08-Up FLT chrome
- Beveled air cleaner for 08-Up FLT black 654128
- 654129 Beveled air cleaner for 00-Up Big Twin (except TBW) chrome
- 654130 Beveled air cleaner for 00-Up Big Twin (except TBW) black

Accessories

654131 **Replacement filter for Inverted Series air cleaners**

CATALOG"FDITON 44"PAGE 848









RevTech 125" Engine BIG INCH MUSCLE! 680241 Black wrinkle finish

CATALOG'EDITION 44"PAGE 9.02

ENGINES IN E3 KONFIGURATION ARE SUBJECT TO AN PRICE INCREASE.



JIMS Transmission Rebuild Kits for 5-Speed Models

With a full complement of bearings, races, keys, clips, washers and gaskets, all hard parts are of the highest quality to provide a smooth-shifting, long-lasting transmission. Kits contain virtually all components subject to wear and include a complete set of JIMS gaskets and seals.

- 20441 Fits models from 80-E84
- 20442 Fits models from late 84-90
- 20443 Fits models from 91-98
- 660444 Fits models from 99-06




Primo Rivera 2" Touring Belt Drive

Primo's Brute IV Extreme Touring Open Belt Drive is just a measly 2" wide, but boy can it hold the power. The special 8mm Kevlar corded belt included with this kit was specifiy designed to hold in excess of 150 HP. The drive's electric start feature utilizes a 66 tooth ring gear for maximum torsional longevity.

667539 Brute IV 2" belt drive for Touring models 90-06

667556 Brute IV 2" belt drive for Touring models 07-14

26" X 3,5"



Size	Velocity
16" x 3.50"	603330
26" x 3.50"	690987

WHEEL:CATALOG"EDITION 44"PAGE 13.05





RevTech Black Anodized Billet Front Wheel Hubs

Year	Touring Models	Axle Size	Black Anodized
08-Up	All Touring Models with ABS, Single Disc	25mm	602502

RevTech Black Anodized Billet Rear Wheel Hubs

Year	Touring Models	Axle Size	Black Anodized
00-01	All Touring Models	3/4"	602543

HUBS: CATALOG "EDITION 44" PAGE 1324& 1325_






RevTech Belt Pullevs

24

Year	Touring Models	Width	Tooth	Velocity 'Midnight Series
00-03	FLHT/FLHR/ FLTR	1 1/2″	70	603350





Dunlop D404 Tires

- Tread compound delivers excellent balance of mileage and grip
- Front and rear tread patterns designed to deliver outstanding water evacuation and wet grip
- Bias-ply, tubeless construction designed to deliver excellent load-carrying capacity as well as a smooth . ride
- Offset center groove delivers excellent straight-line stability
- Value d for older bikes

Rear Tires 1361113 130/90H x 16" 1361114 140/90H x 16" 1361115 150/80H x 16" 1361118 120/90H x 18"



CATALOG"EDITION 44"PAGE 1363

Vee Rubber

26 Inch Vee Rubber Tire Hose

618376 120/50-26" TR4 tire hose

CATALOG'EDITION 44"PAGE 13.67

Vee Rubber

Vee Rubber Tires

New Vee Rubber tires from Custom Chrome. Rear tires up to 360 mm wide and 26" high front tires are possibilities to create true monster customs. **683509** Vee Rubber Tire 260/35R18 82H

- 683510 Vee Rubber Tire 310/35R18 88H
- 683511 Vee Rubber Tire 360/30R18 92H
- 683512 Vee Rubber Tire 200/40R20 80H
- 683513 Vee Rubber Tire 200/70-21 80H
- 683514 Vee Rubber Tire 120/70R23 64H
- 683515 Vee Rubber Tire 120/50-26 67H0

CATALOG'EDITION 44"PAGE 13.66





Performance Machine 4-Piston Calipers with Approval

Original PM 4-Piston Calipers available with chrome or contrast cut finish.

- 619755 4-piston 125X4S, chrome
- 619756 4-piston 125X4S, contrast cut
- 619757 4-piston 125X4R, chrome
- 619758 4-piston 125X4R, contrast cut

CATALOG'EDITION 44"PAGE 13.76



619755

26





Performance Machine 6 Piston Differential Bore Calipers

Single or dual, this is the very best front brake set up for the 99 and earlier front end! Caliper bolts directly to fork. Order 1 left caliper for single disc and 1 right and 1 left for dual discs.

Left side caliper

684254 For 11.5" brake rotors, contrast cut

684255 For 11.5" brake rotors, chrome

Right side caliper

684256 For 11.5" brake rotors, contrast cut

684257 For 11.5" brake rotors, chrome

CATALOG'EDITION 44"PAGE 13.77



4 Piston Classic Caliper & Bracket Rear

Bracket is bottom mount universal, includes anchor rod and weld on tab. This is also the best set up for right side drive customs. PM recommends increasing disc size from 10" to 11.5" for more braking power. Fits all years for disc brake wheels and right side drive customs

For 10" brake discs

- 684138 10" bracket, black (only bracket, w/o anchor rod and weld on tab)
- 684139 10" bracket, chrome (only bracket, w/o anchor rod and weld on tab)
- 684418 Caliper & bracket for 10" discs, contrast cut
- 684419 Caliper & bracket for 10" discs, chrome

For 11.5" brake discs

- **684176** 1" axle bracket, chrome (only bracket, w/o anchor rod and weld on tab)
- 684177 3/4" axle bracket, black (only bracket, w/o anchor rod and weld on tab)
- **684178** 3/4" axle bracket, chrome (only bracket, w/o anchor rod and weld on tab)
- 684420 Caliper & bracket for 11,5" discs, contrast cut
- 684421 Caliper & bracket for 11,5" discs, chrome
- 28 CATALOG'EDITION 44"PAGE 1381





11.5" Diameter fit the rear of all Big Twin 81-14 & Sportster 81-14 with original 11.5" rear disc (except 81-99 & 08-Up Touring Models)

603353

Velocity

CATALOG'EDITION 44"PAGE 13.93



CATALOG 'EDITION 44" PAGE 14.15

Paughco FXR/FLT Swingarm Upgrade Kit

Specifically designed to upgrade the quality and feel of the driveline on your FXR or Touring model bike. These 7-pcs convert the old style OEM parts to a high-tech spherical bearings with CNC-Machined precision spacers and collars. Made in the U.S.A.

651435 7-pc swingarm upgrade kit for 80-01 FXR & Touring models



Swingarm Stiffener Kit by Rivera

The Stiffey helps to solve the decades long problem of instability in 80-08 rubber mount FL models. It installs super easy and will make your ride safer by helping control rear steering. Made in the USA. 667557 Stiffener kit

CATALOG'EDITION 44"PAGE 14.15



Motor Mount Stabilizer Links

Designed to replace the stock zinc plated links, these chrome plated units offer a nicer finish while retaining the same or better functionality.

- 688465 Vibration dampening link, fits FLT 79-08, FXD 91-14 and FXRs 82-94
- 688466 Chrome stabilizer link for FLT 79-08, FXR 82-94
- 688467 Chrome stabilizer link for FXD 91-14
- 30 CATALOG"EDITION44"PAGE 9.100



668101

RevTech Chassis Stabilizer

Looking for a way to stop the wobbling, weaving, and rear steering on your Touring model? The RevTech Chassis Stabilizer utilizes a swingarm pivot anchor to cure these problems. So you can feel confident leaning your Bagger into the corners with a RevTech Chassis Stabilizer under your Bagger. Fits FLH/FLT models 93-08. 668100 Satin Finish

668101 Black Anodized Finish

CATALOG'EDITION 44"PAGE 14.16



Arlen Ness "KO" Raked Triple Trees for FL, FL1, FL2 Touring Models

- These 11° or 7° billet triple trees will properly rake your Bagger for the use of 21", 23", & 26" wheels. No cutting, welding, or custom fabrication needed of any kind
- Extensively road tested, this kit is the best handling raked tree kit available. Attain close to stock handling with large diameter front wheels
- Designed exclusively for 21", 23", and 26" Diameter wheels, stock diameter wheels will not work with triple tree kit
- Does not require modification of stock frame. Fairings also maintain stock position and does not require angled headlight wedges or special brackets to properly adjust headlights
- When using 23" or 26" front wheels on Road Glide models, the optional fairing bracket kit is recommended for increased fairing clearance
- Designed to fit all 97-13 FLT Touring models (Except Road King)
- Kit includes black anodized billet aluminum triple trees, steering stem, fork tube extension, fork stops, travel limiters, and all necessary hardware.



11° Triple Tree Kits

654140	11° raked bagger tree kit for all 97-13 FLH/FLT M
654141	FLTR fairing mount kit 09-13
654142	FLTR fairing mount kit 98-08
7° Triple	Tree Kits
654141	FLTR fairing mount kit 09-13
654142	FLTR fairing mount kit 98-08

odels

PROGRESSIVE suspension


Monotube Fork Cartridge Kit by Progressive Suspension

True high performance front suspension has finally made its way to the HD Touring line. Our state of the art Monotube Fork Kit represents the pinnacle of bagger front end handling. High performance specialty components replace the sloppy open bath damping found in HD forks. The kit features a set of gas charged Monotube dampers and a set of custom tuned fork springs. This kit will convert your standard dual damper and single cartridge forks found on 97-13 Touring models to a true High-Performance Cartridge Forks! This kit is a direct internal component replacement for all FLH/FLT models from 84-13. No modifications to forks are required.

RESSIVE

Fits Touring Models

- 680129 Monotube Fork Cartridge kit, Fits all Touring models from 97-13
- 693900 1"-2" Lowered Monotube Fork Cartridge kit, fits all Touring models from 97-13
- 693928 Monotube Fork Cartridge kit, Fits all Touring models from 84-96
- 693929 1"-2" Lowered Monotube Fork Cartridge kit, fits all Touring models from 84-96
- 32 CATALOG'EDITION44"PAGE 15.32



Complete high quality kit includes all necessary bushings, seals, washers and clips to assemble or rebuild a set of 41 mm fork legs.

688308

Fits all front ends from 84-Up

CATALOG'EDITION44"PAGE 15.34



PROGRESSIVE suspension

970 Series Remote Reservoir Performance Shocks by Progressive Suspension

High-Pressure gas charged dampers use deflective disc-valving, high-performance dampers are wrapped in a progressive rate spring with a threaded pre-load adjuster. The remote reservoirs mount in front of the saddlebags and allow for easy compression tuning. Fits all 93-13 Touring models

Standard Shocks

- 690190 13" standard shock, Bronze
- 690192 12" standard shock, Bronze

Heavy-Duty Shocks

- 690191 13" heavy-duty shock, Bronze
- 690193 12" heavy-duty shock, Bronze

CATALOG'EDITION 44"PAGE 15.48



26" Ribbed Front Fender

26" front fenders made of fiberglas. The fenders gel coated and undrilled to fit 26" front wheels on Touring models. Due to its size and weight we recommend to strengthen the mounting section of the fender from the inside!

619669 Ribbed 26" GFK front fender

CATALOG"EDITION 44"PAGE 16.17



Ness Down-N-Out Fender Kits and Saddlebags

Down-N-Out Fender kits are a direct replacement for 98-08 and 09-13 FLT Bagger models. These new super stretched fenders are designed to work and flow with our new Down-N-Out Saddlebags. The fender is constructed from high quality composite materials and oven cured over a wide heat range to insure stability. It is primed with a high quality polyester sanding primer and is ready to paint. Both versions come without cutout for license plates!

Rear Fenders

- 654095 Down-N-Out fender kit for FLT models 97-08, dual exhaust
- 654096 Down-N-Out fender kit for FLT models 09-13, dual exhaust

Saddlebags

The Down-N-Out bags from Arlen Ness are 6" longer and 2" lower than our original Big Bags from Ness. They feature a patent pending taper on the lower section of the bag for a clean new look and an extra 2 inches of ground clearance. Constructed from high quality composite materials. No shiny get coat finish to sand and prime, every part comes finished, primed with a super high quality polyester sanding primer and is ready to paint.

654097 Down-N-Out Saddlebags for FLT models 09-13, dual exhaust



CATALOG'EDITION44"PAGE 1621



CVO Style Stretched Saddle Bags for all FLT models 93-13

Stretched CVO style bags with cut-outs for dual exhausts. The bottom of the bags has the typical CVO wing form with 2 inch stretch on the front side and 4 inch stretch on the rear side of the bags. Made of fiber glas to be used with the OEM hardware or with CCI# 619760 saddle bag latch kit from Arlen Ness and the lids in standard or CVO style which are sold separately!

619864 Bags CVO 2-4 " stretch

619865 Lids CVO

619866 Lids Standard

CATALOG'EDITION44"PAGE 265

Pop-On Side Cover Panels

These covers come with mounts on the backside and do not need to be glued on the OEM side covers. The side cover panels are made of durable ABS plastic which offers a first class strength and max. one hour preparation work for painting. Perfect in conjunction with extended bags.

- 619674 Pop-On side cover panels 09-13
- 619672 Pop-On side cover panels 96-08

CATALOG'EDITION 44"PAGE 264

Ness Saddlebag Latch Kit

- Direct replacement saddlebag lid latch kit
- Economically priced compared to expensive OEM latch kit
- Comes with all necessary hardware and hinges, except saddlebag locks
- Great for aftermarket custom saddlebags 619760 Saddle bag latch kit

CATALOG'EDITION 44"PAGE 266









PYO/Bagger Nation Custom Stretched Gas Tank for Touring Models

Paul has created what he feels is the finest stretched tank design available. Flowing and elegant lines that perfectly compliment the stance of your Bagger. This tank is a 6 gallon one-piece stretched unit and if the tank wasn't enough Paul also designed a custom steel dash with a cool pop-up gas cap for this tank. Tank kits include a 6 gal. tank, custom low-profile steel dash, rubber trim and any necessary mounting brackets. Available for 03-Up FLHT/ FLTR models. (Stock seat may need to be modified or custom seat has to be made)

- 603080 PYO/Bagger Nation stretched gas tank for 08-Up FLHT/FLTR models
- 603081 PYO/Bagger Nation stretched gas tank for 03-07 FLHT/FLTR models

Replacement Parts

- 603082 PYO/Bagger Nation replacement stretched dash for 08-Up FLHT/FLTR models
- 603083 PYO/Bagger Nation replacement stretched dash for 03-07 FLHT/FLTR models
- 603084 Replacement pop-up gas cap

MMB[®]

MMB Retro 'Micro Mini' Electronic Instruments

Latest technology now available with cool retro style faces for old school bikes made in Europe. Now available with step motor to fit all sensors. Comes without bracket and cup which must be ordered separately. The smallest speedometers, tachos, oil pressure gauges and clocks (48 mm) on the market with analog display for readout and an LCD display (speedos) to display time, total or trip distance. Available with yellow illumination on your choice of black, ivory, alu and white faces, and simple to operate. The versions with black housing and gold trim ring are available with ivory scale only. To be used in OEM applications as well as in aftermarket installations (with RevTech 5-speed and 6-speed transmissions).

		0,34,4.83	
LOG'EDITION44"	PAGE 1723		

CAT

MMB 48 mm Retro Speedos				
Km/h	Scale	Housing/Ring	Backlight	
682667	ivory	black/gold	yellow.	
MMB 48 mm Retro Tachos				
	Scale	Housing/Ring	Backlight	
682677	ivory	black/gold	yellow	
MMB 48 mm Retro Oil Pressure Gauges				
	Scale	Housing/Ring	Backlight	
682687	ivory	black/gold	yellow	





Custom Chrome Europe GmbH Carl-von-Ossietzky-Straße 8 55459 Grolsheim/Germany Phone: +49 (0) 6721 - 4 007 - 0 Fax: +49 (0) 6721 - 4 007 - 100 e-mail: info@customchrome.de www.custom-chrome-europe.com